

7-23-2001

PVC-CAT-007-E-010-003-MTE

Juliana Novic
Kenyon College

Follow this and additional works at: <https://digital.kenyon.edu/honduras>

 Part of the Archaeological Anthropology Commons

Recommended Citation

Novic, Juliana, "PVC-CAT-007-E-010-003-MTE" (2001). *Four Valleys Archive*. Paper 78282.
<https://digital.kenyon.edu/honduras/78282>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PROYECTO VALLE DE CACAULAPA
CATALOG FORM

DATE: 23 July 2001

LOT NUMBER: 7E/010

SUBSTANCE: Stone

OBJECT: Metate

CATALOG #: 7E/010-3 MULTIPLES?

DRAWN BY: 13

CATALOGED BY: 13

EXCAVATOR: 25

SURFACE HGT/LENGTH:

WIDTH:

THICKNESS:

LEG(S) HGT/LENGTH: 6-2

WIDTH: 5

THICKNESS: 3.4

REPEAT FOR MORE THAN ONE LEG:

VERBAL DESCRIPTION: This is a: whole partial metate. It is a finished item an unfinished item can't tell.

It is: a working surface only a working surface with 1-2-3-4 legs a leg only.

For a working surface: The surface: does does not show manufacturing marks can't tell. If it does, they are (mark all that are appropriate): pecking striations grinding smoothing polishing.

There: is is not a clear working surface can't tell. If a working surface is visible, it is: smoothed only shows both smoothing and use polish shows use polish only.

The use area: does does not extend to the side edge/edges
does does not extend to the top and/or bottom edge(s)

The area showing use measures:

For the underside: It does does not show manufacturing marks can't tell. If it does, they are (mark all that are appropriate): pecking striations grinding smoothing polishing.

For the edge(s): The edge(s) between the upper and lower surfaces is/are: sharp (relatively) rounded flattened battered and/or chipped damaged in some other way.

Draw the profile of the edge and surface on the reverse of the page.

For the leg(s): The first leg is: complete a distal/end portion a proximal (near the underside) portion.

Other legs are:

On the opposite side of the page, draw/trace the cross section at the base, if it preserved; draw/trace the shape near the junction with the underside.

The leg(s) does does not have manufacturing marks can't tell. If they are present, they include: pecking striations grinding smoothing polishing.

If broken, the broken surface is: unaltered worn battered chipped can't tell.

Comments:

Battered to be reused, possibly as pestal for grinding

ALTERED
SURFACE



TE/010-3

